


Serial No.:09/943,578

IN THE CLAIMS:

1. and 2. (Canceled)

3. (Currently Amended) An electroluminescence device comprising a pair of electrodes and a film of organic compounds which that is disposed between the pair of electrodes and comprises a single layer or a plurality of layers comprising at least a light emitting layer, wherein at least one of the layers of the film of organic compounds comprises a novel styryl compound represented by the following general formula (1):



wherein R^1 to R^{10} each independently represent hydrogen atom, a substituted or unsubstituted alkyl group having 1 to 30 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 30 carbon atoms, a substituted or unsubstituted aryl group having 6 to 20 carbon atoms, a substituted or unsubstituted aryloxy group having 6 to 18 carbon atoms, a substituted or unsubstituted condensed polycyclic group having 6 to 30 carbon

Serial No.:09/943,578


atoms, a substituted or unsubstituted heterocyclic group having 5 to 30 carbon atoms, amino group, an alkylamino group having 2 to 30 carbon atoms, an arylamino group having 6 to 30 carbon atoms, cyano group, nitro group, hydroxyl group or a halogen atom, and adjacent groups among groups represented by R^3 to R^{10} may be bonded to each other and form a saturated or unsaturated carbon ring and the groups represented by R^1 and R^2 are not bonded together to each other;

A, B, C and D each independently represent a substituted or unsubstituted alkyl group having 1 to 20 carbon atoms or a substituted or unsubstituted aryl group having 6 to 40 carbon atoms, and at least two of A, B, C and D each represent a group represented by $-Ar^1-Ar^2$, Ar^1 representing a substituted or unsubstituted phenyl group or naphthalene group and Ar^2 representing a substituted or unsubstituted aryl group having 6 to 34 carbon atoms, excluding (1) a case in which A and C represent biphenyl group and B and D represent phenyl group and (2) a case in which at least one of A, B, C, and D represents pyrene.

4. (Currently Amended) An electroluminescence device comprising a pair of electrodes and a film of organic compounds which that is disposed between the pair of electrodes and comprises a single layer or a plurality of layers comprising at

Serial No.:09/943,578

least a light emitting layer, wherein at least one of the layers of the film of organic compounds comprises a novel styryl compound represented by the following general formula (2):




wherein R^1 to R^{10} each independently represent hydrogen atom, a substituted or unsubstituted alkyl group having 1 to 30 carbon atoms, a substituted or unsubstituted alkoxyl group having 1 to 30 carbon atoms, a substituted or unsubstituted aryl group having 6 to 20 carbon atoms, a substituted or unsubstituted aryloxy group having 6 to 18 carbon atoms, a substituted or unsubstituted condensed polycyclic group having 6 to 30 carbon atoms, a substituted or unsubstituted heterocyclic group having 5 to 30 carbon atoms, amino group, an alkylamino group having 2 to 30 carbon atoms, an arylamino group having 6 to 30 carbon atoms, cyano group, nitro group, hydroxyl group or a halogen atom, and adjacent groups among groups represented by R^3 to R^{10}

Serial No.:09/943,578

may be bonded to each other and form a saturated or unsaturated carbon ring and the groups represented by R^1 and R^2 are not bonded together to each other; and

A' , B' , C' and D' each independently represent a substituted or unsubstituted alkyl group having 1 to 20 carbon atoms or a substituted or unsubstituted aryl group having 6 to 40 carbon atoms, and A' and C' additionally each represent a substituted or unsubstituted condensed hydrocarbon group having 2 to 5 rings, excluding a case in which at least one of A' , B' , C' , and D' represents pyrene.

5. (Currently Amended) An electroluminescence device comprising a pair of electrodes and a film of organic compounds which that is disposed between the pair of electrodes and comprises a single layer or a plurality of layers comprising at least a light emitting layer, wherein the light emitting layer comprises a novel styryl compound represented by the following general formula (1):



... (1)

Serial No.:09/943,578


wherein R^1 to R^{10} each independently represent hydrogen atom, a substituted or unsubstituted alkyl group having 1 to 30 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 30 carbon atoms, a substituted or unsubstituted aryl group having 6 to 20 carbon atoms, a substituted or unsubstituted aryloxy group having 6 to 18 carbon atoms, a substituted or unsubstituted condensed polycyclic group having 6 to 30 carbon atoms, a substituted or unsubstituted heterocyclic group having 5 to 30 carbon atoms, amino group, an alkylamino group having 2 to 30 carbon atoms, an arylamino group having 6 to 30 carbon atoms, cyano group, nitro group, hydroxyl group or a halogen atom, and adjacent groups among groups represented by R^3 to R^{10} may be bonded to each other and form a saturated or unsaturated carbon ring and the groups represented by R^1 and R^2 are not bonded together to each other;

A, B, C and D each independently represent a substituted or unsubstituted alkyl group having 1 to 20 carbon atoms or a substituted or unsubstituted aryl group having 6 to 40 carbon atoms, and at least two of A, B, C and D each represent a group represented by $-Ar^1-Ar^2$, Ar^1 representing a substituted or unsubstituted phenyl group or naphthalene group and Ar^2 representing a substituted or unsubstituted aryl group having 6 to 34 carbon atoms, excluding (1) a case in which A and C

Serial No.:09/943,578

represent biphenyl group and B and D represent phenyl group, and
(2) a case in which at least one of A, B, C, and D represents
pyrene.

6. (Currently Amended) An electroluminescence device comprising a pair of electrodes and a film of organic compounds which that is disposed between the pair of electrodes and comprises a single layer or a plurality of layers comprising at least a light emitting layer, wherein the light emitting layer comprises a novel styryl compound represented by the following general formula (2):



wherein R^1 to R^{10} each independently represent hydrogen atom, a substituted or unsubstituted alkyl group having 1 to 30 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 30 carbon atoms, a substituted or unsubstituted aryl group having 6 to 20 carbon atoms, a substituted or unsubstituted

Serial No.:09/943,578


aryloxyl group having 6 to 18 carbon atoms, a substituted or unsubstituted condensed polycyclic group having 6 to 30 carbon atoms, a substituted or unsubstituted heterocyclic group having 5 to 30 carbon atoms, amino group, an alkylamino group having 2 to 30 carbon atoms, an arylamino group having 6 to 30 carbon atoms, cyano group, nitro group, hydroxyl group or a halogen atom, and adjacent groups among groups represented by R^3 to R^{10} may be bonded to each other and form a saturated or unsaturated carbon ring and the groups represented by R^1 and R^2 are not bonded together to each other; and

A' , B' , C' and D' each independently represent a substituted or unsubstituted alkyl group having 1 to 20 carbon atoms or a substituted or unsubstituted aryl group having 6 to 40 carbon atoms, and A' and C' additionally each represent a substituted or unsubstituted condensed hydrocarbon group having 2 to 5 rings, excluding a case in which at least one of A' , B' , C' , and D' represents pyrene.

7. (Currently Amended) An electroluminescence device comprising a pair of electrodes and a film of organic compounds which that is disposed between the pair of electrodes and comprises a single layer or a plurality of layers comprising at least a light emitting layer, wherein an electron injecting layer or a hole injecting layer comprises a novel styryl

Serial No.:09/943,578

compound represented by the following general formula (1):




wherein R^1 to R^{10} each independently represent hydrogen atom, a substituted or unsubstituted alkyl group having 1 to 30 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 30 carbon atoms, a substituted or unsubstituted aryl group having 6 to 20 carbon atoms, a substituted or unsubstituted aryloxy group having 6 to 18 carbon atoms, a substituted or unsubstituted condensed polycyclic group having 6 to 30 carbon atoms, a substituted or unsubstituted heterocyclic group having 5 to 30 carbon atoms, amino group, an alkylamino group having 2 to 30 carbon atoms, an arylamino group having 6 to 30 carbon atoms, cyano group, nitro group, hydroxyl group or a halogen atom, and adjacent groups among groups represented by R^3 to R^{10} may be bonded to each other and form a saturated or unsaturated carbon ring and the groups represented by R^1 and R^2 are not bonded together to each other;

A, B, C and D each independently represent a substituted or unsubstituted alkyl group having 1 to 20 carbon atoms or a substituted or unsubstituted aryl group having 6 to 40 carbon atoms, and at least two of A, B, C and D each represent a group

Serial No.:09/943,578

represented by $-\text{Ar}^1-\text{Ar}^2$, Ar^1 representing a substituted or unsubstituted phenyl group or naphthalene group and Ar^2 representing a substituted or unsubstituted aryl group having 6 to 34 carbon atoms, excluding (1) a case in which A and C represent biphenyl group and B and D represent phenyl group, and (2) a case in which at least one of A, B, C, and D represents pyrene.

8. (Currently Amended) An electroluminescence device comprising a pair of electrodes and a film of organic compounds ~~which~~ that is disposed between the pair of electrodes and comprises a single layer or a plurality of layers comprising at least a light emitting layer, wherein an electron injecting layer or a hole injecting layer comprises a novel styryl compound represented by the following general formula (2):



wherein R^1 to R^{10} each independently represent hydrogen atom, a substituted or unsubstituted alkyl group having 1 to 30 carbon

Serial No.:09/943,578

atoms, a substituted or unsubstituted alkoxy group having 1 to 30 carbon atoms, a substituted or unsubstituted aryl group having 6 to 20 carbon atoms, a substituted or unsubstituted aryloxy group having 6 to 18 carbon atoms, a substituted or unsubstituted condensed polycyclic group having 6 to 30 carbon atoms, a substituted or unsubstituted heterocyclic group having 5 to 30 carbon atoms, amino group, an alkylamino group having 2 to 30 carbon atoms, an arylamino group having 6 to 30 carbon atoms, cyano group, nitro group, hydroxyl group or a halogen atom, and adjacent groups among groups represented by R^3 to R^{10} may be bonded to each other and form a saturated or unsaturated carbon ring and the groups represented by R^1 and R^2 are not bonded together to each other; and

A' , B' , C' and D' each independently represent a substituted or unsubstituted alkyl group having 1 to 20 carbon atoms or a substituted or unsubstituted aryl group having 6 to 40 carbon atoms, and A' and C' additionally each represent a substituted or unsubstituted condensed hydrocarbon group having 2 to 5 rings, excluding a case in which at least one of A' , B' , C' , and D' represents pyrene.

9. (Original) An electroluminescence device according to Claim 5, wherein a layer of an inorganic compound is disposed between the light emitting layer and the electrode.

Serial No.:09/943,578

10. (Original) An electroluminescence device according to Claim 6, wherein a layer of an inorganic compound is disposed between the light emitting layer and the electrode.

11. to 15. (Canceled)